

Material Safety Data Sheet
May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be consulted
for specific requirements.

U.S Department of Labor
Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List)
Bonide Moletox® Baited-gel Syringe

ID # 7250024
Date: August 29, 2002

Section I

Bonide Products, Inc.
6301 Sutliff Road
Oriskany, NY 13424

(800) 424-9300
(315) 736-8231

Section II - Hazardous Ingredients/Identity

Hazardous Components (Specific Chemical Identity: Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits	% (Optional)
Warfarin CAS # 81-81-2				0.025%

Section III - Physical/Chemical Ingredients

BOILING POINT: NA SPECIFIC GRAVITY (H₂O=1): 1.0
VAPOR PRESSURE (mm Hg): NA MELTING POINT: NA
VAPOR DENSITY (Air=1): NA EVAPORATION RATE: NA
SOLUBILITY IN WATER: Decomposes in water
APPEARANCE AND ODOR: Blue gel with little or no odor.

Section IV - Fire and Explosion Data

FLASHPOINT: >200 FLAMMABLE LIMITS: NA LEL: NA UEL: NA
EXTINGUISHING MEDIA: Dry chemical, carbon dioxide, water or foam
SPECIAL FIRE FIGHTING PROCEDURES: Foam/Fog system preferred. Remove closed case goods from path of fire. Use fog nozzles if water is used. Use air supplied or canister breathing masks for protection against burning cases and cartons. UNUSUAL FIRE/EXPLOSION HAZARD: None. Toxic vapor from heated product - Does not contain explosive ingredients.

Section V - Reactivity Data

STABILITY: Stable
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID: None Known
CONDITIONS TO AVOID IF POLYMERIZATION: NA
INCOMPATIBILITY (Materials to Avoid): Avoid contact with strong acids, bases or oxidizing agents.
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Not Established

Section VI - Health Hazard Information

ROUTES OF ENTRY: Inhalation, Skin, Ingestion
HEALTH HAZARDS (Acute and Chronic): NOTE TO PHYSICIAN: This product reduces the clotting ability of the blood, and may cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K1 are indicated, as in poisoning from an overdose of bis-dihydroxycoumarin. For human cases, Vitamin K1 is antidotal at doses of 10-20 mg total (not mg/kg). For animal cases, Vitamin K1 is antidotal at 2-5 mg/kg. Repeated doses may need to be given up to two weeks (based upon monitoring prothrombin times).

Section VII - Precautions for Safe Handling/Use

GENERAL: Do not get in eyes, on skin or on clothing. Wash thoroughly after handling.

HANDLING AND STORAGE PRECAUTIONS: Store in a cool, dry area preferably locked and out of reach of children and animals.

PROTECTIVE GLOVES: Rubber/vinyl EYE PROTECTION: Goggles/face shield

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Washable work clothing including cap.

WORK/HYGIENIC PRACTICES: Launder clothing after use. Wash before eating, drinking, smoking

Section VIII - Environmental and Disposal Information

SPILL OR LEAK PROCEDURES: Wipe up spill, place in a bag and dispose of

WASTE DISPOSAL METHOD: Dispose according to local, state or federal environmental regulations.

ENVIRONMENTAL HAZARDS: Can be toxic to birds and wildlife.

KEEP OUT OF REACH OF CHILDREN

ABBREVIATION KEY

N/A: NOT AVAILABLE OR APPLICABLE

N/E: NOT ESTABLISHED

TLV: THRESHOLD LIMIT VALUE

TWA: TIME WEIGHTED AVG./8 HOUR WORKDAY

STEL: SHORT TERM EXPOSURE LIMIT

D.O.T.: DEPARTMENT OF TRANSPORTATION

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.